

TDS PRODUCT IMAGE SHEET > GENERAL SHELFPLATE

Image	TDS Part Number & Description	OE & Alternative Part References
 <p>VAL024B</p>	<p>VAL024B 5/2 x 1/4 PILOT/PILOT VALVE</p>	<p>B53004A <i>Van Hool</i></p>
	<p>VAL025F 3/2 x 1/8 PILOT SPRING RETURN VALVE SEE ALSO VAL082U WITH ALL 1/8 BSP PORTS</p>	<p>B43003PS <i>Parker</i></p>
	<p>VAL031U PRESSURE APPLIED D/S PILOT VALVE 24v</p>	<p>VAL031U <i>TDS</i></p>
 <p>VAL034U</p>	<p>VAL034U SOLENOID COIL 24v FOR VAL002&3U</p>	<p>VAL034U <i>TDS</i></p>
 <p>VAL035U</p>	<p>VAL035U SOLENOID COIL 12v</p>	<p>VAL035U <i>TDS</i></p>
	<p>VAL037U 5/2 x 1/8 D/SOLENOID PILOT</p>	<p>VAL037U <i>TDS</i></p>

	<p>VAL038F ASCO PILOT SOLENOID VALVE</p>	<p>VAL038F TDS</p>
	<p>VAL051U 5/2 PILOT/PILOT VALVE 1/8BSP</p>	<p>B43004PP Parker</p>
	<p>VAL054U UNIVERSAL PILOT PRESSURE APPLIED S/V</p>	<p>V34Y00XXG Parker</p>
	<p>VAL117U SOLENOID/PILOT G4 P/APPLIED VALVE – IKARUS COACH (ALT)</p>	<p>54101019 Joucomatic</p>
	<p>VAL118E EPV-24V WEBER SOLENOID VALVE 3/2 NC</p>	<p>VAL118 TDS</p>
	<p>VAL123-RK INTERNAL SPOOL SEAL KIT</p>	<p>216993-95,6,7 Repair Peters</p>
	<p>KIT005 OR LOGIC ELEMENT KIT</p>	<p>KIT005 TDS</p>

	<p>BRK009 UNIVERSAL SENSOR MOUNT TDS CYLINDERS</p>	<p>BRK009 TDS</p>
	<p>BRK011 REAR END BRKT MALE 16mm 63 BORE CYLINDER</p>	<p>BRK011 TDS</p>
	<p>BRK012 REAR END BRKT L SHAPE 16mm 63 BORE CYLINDER</p>	<p>BRK012 TDS</p>
	<p>BRK013 REAR END TRUNION SPH 16mm 63 BORE CYLINDER</p>	<p>BRK013 TDS</p>
	<p>BRK014 REAR END TRUNION 16mm FEM 63 BORE CYLINDER</p>	<p>BRK014 TDS</p>
	<p>BRK015 REAR END SPIGOT-10mm FEM 63 BORE CYLINDER</p>	<p>BRK015 TDS</p>
	<p>BUT039B DOOR OPEN ILLUM ELEC BUTTON</p>	<p>DEP-00348 Peters</p>

	<p>BUT041B DOOR CLOSE ILLUM ELEC BUTTON</p>	<p>DEP-00347 <i>Peters</i></p>
	<p>GAS001 EXTERNAL EMERGENCY OPEN BUTTON GASKET</p>	<p>GAS001 <i>TDS</i></p>
 <p style="text-align: center;">ELE042</p>	<p>ELE042 FOOTSWITCH</p>	<p>ELE042 <i>TDS</i></p>
	<p>ELE100J RED WIRING LOOM CABLE 16/0.2MM S/CORE THN/WALL</p>	<p>ELE100J <i>TDS</i></p>
	<p>ELE101J GREEN WIRING LOOM CABLE 16/0.2MM S/CORE THN/WALL</p>	<p>ELE101J <i>TDS</i></p>
	<p>ELE102J BLACK WIRING LOOM CABLE 16/0.2MM S/CORE THN/WALL</p>	<p>ELE102J <i>TDS</i></p>
	<p>ELE500B TIMER MULTI-PROGRAM 12-240V</p>	<p>ELE500B <i>TDS</i></p>

 <p>ELE502</p>	<p>ELE502 SINGLE SHOT TIMER 24V</p>	<p>ELE502 TDS</p>
	<p>NUT04-HX-MS M4 HEX FULL NUT BZP</p>	<p>NUT04-HX-MS TDS</p>
	<p>NUT05-HN-MS M5 HEX NYLOC NUT</p>	<p>071002 Deans</p>
	<p>NUT08-HN-MS M8 HEX NYLOC NUT</p>	<p>071007 Deans</p>
 <p>NUT08HX-MS</p>	<p>NUT08-HX-MS M8 HEX FULL NUT BZP</p>	<p>NUT08-HX-MS TDS</p>
 <p>FIT031B</p>	<p>FIT031B CONNECTOR STRAIGHT 6mm EQUAL</p>	<p>FIT031B TDS</p>
 <p>FIT032B</p>	<p>FIT032B 8mm x 1/8" BSP MALE STUD</p>	<p>FIT032B TDS</p>

 <p>FIT033A</p>	<p>FIT033A 6mm x 1/4" BSP FEMALE STUD</p>	<p>FIT033A TDS</p>
 <p>FIT034A</p>	<p>FIT034A 6mm x 1/4" BSP FEMALE STUD</p>	<p>FIT034A TDS</p>
 <p>FIT035A</p>	<p>FIT035A STEM CONNECTOR 8mm x 1/4" BSP MALE</p>	<p>FIT035A TDS</p>
 <p>FIT036B</p>	<p>FIT036B TEE EQUAL 8mm</p>	<p>FIT036B TDS</p>
 <p>FIT037B</p>	<p>FIT037B TEE EQUAL 10mm</p>	<p>FIT037B TDS</p>
 <p>FIT038B</p>	<p>FIT038B REDUCER 10mm – 8mm</p>	<p>FIT038B TDS</p>
 <p>FIT039B</p>	<p>FIT039B REDUCER 12mm – 10mm</p>	<p>FIT039B TDS</p>

 <p>FIT040B</p>	<p>FIT040B CONNECTOR STRAIGHT 8mm EQUAL</p>	<p>FIT040B TDS</p>
 <p>FIT041B</p>	<p>FIT041B CONNECTOR STRAIGHT 10mm EQUAL</p>	<p>FIT041B TDS</p>
 <p>FIT042B</p>	<p>FIT042B CONNECTOR STRAIGHT 12mm EQUAL</p>	<p>FIT042B TDS</p>
	<p>FIT043B 1/8" BSP (PARALLEL THREAD) SOC TOP HAT BLANKING PLUG</p>	<p>FIT043B TDS</p>
	<p>FIT044B BRANCH 1/8" BSP TO 6mm</p>	<p>FIT044B TDS</p>
	<p>FIT046B SEALING RING O-1-4</p>	<p>FIT046B TDS</p>
 <p>FIT047B</p>	<p>FIT047B 4mm ELBOW</p>	<p>FIT047B TDS</p>

 <p>A black plastic 90-degree elbow fitting with blue O-rings on both ports. A light green sticky note with the handwritten text 'FIT048B' is placed below the fitting.</p>	<p>FIT048B 6mm ELBOW</p>	<p>FIT048B TDS</p>
 <p>A cylindrical metal increaser fitting with a threaded end and a smooth end.</p>	<p>FIT049 INCREASER 6-8</p>	<p>FIT049 TDS</p>
 <p>A black plastic elbow fitting with a blue O-ring on the 6mm pushfit side and an M5 threaded side. A yellow sticky note with the text 'FIT052B' is placed below the fitting.</p>	<p>FIT052B ELBOW 6mm PUSHFIT x M5</p>	<p>FIT052B TDS</p>